



Appendix C

Index

A

ACK/NAK protocols, 187
Acknowledgement of a Command, 64,66,192
Address bus, 24, 25
Address bus / data bus differences, 29
Address bus decoding logic, 25
Addressing, 25-28
Alpha-numeric characters, 14-17
American National Standards Institute (ANSI), 257, 258
American Standard Code for Information Interchange (ASCII), 14-17
Ampere's Law, 74
Amplitude Modulation (AM), 130
Annual production volumes against part variety, 52
Application Layer, 226, 228, 230
ASCII, 14-17
Asynchronous Balanced Mode (ABM), 236
Asynchronous communications, 107-110
Automated Guided Vehicles (AGVs), 52, 55

B

Bandwidth, 128
Base 16 (hexadecimal) number system, 9, 11
Base 2 (Binary) number system, 4, 6, 9, 10
Base 8 (Octal) number system, 8, 9, 10
Baseband, 128, 129
Basic Mode (BSC) protocol, 233-235
Baud Rate, 172
Bi-polar encoding technique, 104
Binary addition, subtraction, multiplication and division, 13
Binary Coded Decimal (BCD) system, 11, 12
Binary digit (Bit), 6
Binary number system, 9
Binary Synchronous Control, 233-235
Binary to hexadecimal conversion, 11
Binary to octal conversion, 10
Bisync Protocol (BSC), 233-235
Bit Error Rate (BER), 118
Bit-Oriented, 100
Block, 116
Block-Check-Sum (BCS), 116
Block-Check-Sum calculation, 117, 189, 191

Boeing, 270
Boole, George, 18
Boolean Algebra, 18-22
 Expression Simplification, 21
 Laws and Postulates, 22
Break-out box, 162-163
Bridges, 264-265
British Standards Institute (BSI), 257, 258
Broadband, 129
Bulk program storage facilities, 49
Bus Network, 212-213, 216, 218, 220

C

Cable concentrations, 218
Cable maintenance, 218
CAN Bus, 295-296
Carrier Detect CD line, 152-153, 157, 158
Carrier frequency, 128, 131
Carrier Sense Multiple Access with Collision Detection (CSMA/CD), 222-223
Central Processing Unit (CPU), 2, 62
Centronics Parallel Interface, 82-86
Channels (forward and reverse), 133
Character-oriented, 138
Character-Oriented systems, 100
CHIP ENABLE, 26-28
Circuit Switched Data Networks (CSDNs), 238-239
Circular buffer, 185-186
Clear to Send CTS, 145, 147, 149, 152
Clock encoding and extraction, 104-106
Closed architecture controllers, 251
Co-axial cable 133
Command packet, 190-193
Comité Consultatif Internationale de Telegraphie et Telephonie (CCITT), 144, 257, 258
Common Signal Ground COM (RS-232), 147
Communications protocol, 62-67
Computer Aided Design system, 49
Computer Integrated Manufacture (CIM), 242
Computer Numerical Control (CNC) machine tools, 43-48
Conducting cage or "shield", 77
Conducting communications link, 68-77
Constant System Monitor (CSM), 55
Contention (Network), 212

Continuous (analogue), 4
Conversion from Human form to computer form, 6-7
Conversion of base 10 numbers to different bases, 8-13
Convolution, 112
Cost effectiveness of dedicated production systems, 54
Cross-talk, 74-77
CSMA/CD, 222-223
Current loop (20mA), 177
Cyclic Redundancy Checks (CRCs), 119

D

Data bus, 2
Data Communications Equipment (DCE), 136
Data corruption, 50
Data frame, 108
Data Link Layer, 226, 229
Data Network, 212
Data packet, 158
Data packet assembly and disassembly, 228
Data Set Ready DSR, 145, 147
Data Signal Rate Selector DSR, 147
Data Terminal Equipment (DTE), 136,144
Data Terminal Ready DTR, 145, 147
DB25, 146
DB9, 146
Dedicated in-line transfer machine, 53
Dedicated manufacturing systems, 54
Demodulators, 133
Desktop publishing, 281
Device latency, 254
Differential communications system, 173
Differential encoding, 106
Digital circuits, 4
Digital Equipment Corporation, 266
DIN plugs, 146
Direct Numerical Control (DNC), 45
Dissection of Messages, 65
Double Side-Band Modulation (DSB), 128
Dumb terminals, 206-207

E

EBCDIC, 14
Echoing, 111-112
Electro-Magnetic Interference (EMI), 50,76
Electro-mechanical transmission, 108
Electronics Industries Association (EIA), 258
Enhanced Performance Architecture (EPA) MAP, 275
Error burst, 118
Error detection techniques, 111-120
Establishment of Link (Communication Phase), 64
Ethernet system, 266-268
European Computer Manufacturers Association (ECMA), 258
Even parity, 114,115,116
Expansion I/O modules (PLCs), 41
Extended Binary Coded Decimal Interchange Code, 14

F

Faraday's Law, 76
File dump, 51, 208
File server networks, 281-284
Filtering in the frequency domain, 125, 126
First-In First-Out (FIFO) Buffers, 185
Flexibility in production systems, 55
Flexible Manufacturing System (FMS), 55-58
Flexible parts transport techniques, 55
Flexible Transfer Line (FTL), 55
FMS control, 56, 57, 58
Fourier Transform, 121, 122
Frame, 108
Frame assembly and disassembly, 227-228
Frame Check Sequences (FCSs), 119
Frequency domain representation of signals, 122-129
Frequency spectrum, 122-129
Frequency-Shift Keying (FSK), 130, 131
Full-duplex link, 100
Fully programmable machining modules, 55

G

G-Code, 44
Gates (Boolean logic), 20
Gateways, 263
Gender (DCE or DTE), 144, 154
General Motors, 245, 269
General Purpose Instrumentation Bus (GPIB), 87
Generator polynomial, 119
GM MAP Task Force, 269

H

Half-duplex link, 100
Hand-shaking lines on communications links, 88
Hard-wire inter-locking, 47, 54
Hard-wired relay-ladder-logic control, 93
Hardware hand-shaking, 81; Hand-shaking in RS-232 links, 151-153
Hewlett Packard Instrumentation Bus (HPIB), 87
High Level Data Link Control (HDLC), 235
High-current cables, 76
Host computer, 41, 45
Human to computer interface, 11
HYPOLINK, 189

I

IEEE 802 committee, 258
IEEE 802.1, 258, 260
IEEE 802.2, 259, 260
IEEE 802.3, 259, 260
IEEE 802.4, 259, 260
IEEE 802.5, 259, 260
IEEE 802.6, 260
IEEE-488 "Instrumentation Bus", 87
Infinitely long parallel conductors (cross-talk), 74
Institute of Electrical and Electronic Engineers (IEEE), 258
Instruction set (CPU), 23
Integrated PLC Control, 49
Integrated Services Digital Network (ISDN), 241, 257
Intel, 266

Interfacing (to networks), 248, 249
Internal parallel data transfer, 87
International Standards Organisation (ISO), 226, 257
Interrupt programming, 32
Interrupts, 32, 33
Inverse Fourier Transform, 122
Issue of a Command and Command Qualifier, 64

J

Jam sequence (CSMA/CD), 223

K

Kaminsky, Mike, 245
Kermit" protocol, 206
Kirchoff's voltage law, 96, 121

L

LAN in a multi-vendor FMS environment, 58
Large Scale Integrated (LSI) circuits, 18
Light Emitting Diodes, 134
Line-Analyser, 163
Line-drivers, 95-96
Line-receivers, 95-96
Link control characters (DLE,STX,ETX), 188
Link Response Time, 253
Local Area Network (LAN), 212
Logical Link Control (LLC), 259
Logical ring, 223
Logical Units (LUs), 279
LON Bus, LON Works, 295 - 300
Lumped-parameter approximation, 69

M

Machining modules, 53
Magnetic flux-density, 75
Manchester Encoding, 105
MAP, 245, 269-278
Mapping (Memory), 26-28
MARK condition, 108
Mark parity, 139
Media Access Control, 259-260
Medium Scale Integrated (MSI) circuits, 18
Memory chip, 24-28
Metropolitan Area Networks, 260
Microprocessor chip, 2-4
Microsoft Corporation (Windows, Windows NT), 284
Millimetre wave, 168
MMS, 271, 272
MNEMONIC, 23
Modems, 133, 144
Modulation, 121-133
Mother-board, 2
Motorola Corporation (LON Works), 295 - 300
Multi-user, multi-tasking operating systems, 207
Multiplexer (Serial Port), 213

N

NAK, 188
National Bureau of Standards (NBS), 258
Network Addressable Units or NAUs, 279
Network Layer, 229
Network topologies, 216
Non Return to Zero (NRZ) encoding, 105
Non Return to Zero Inverted (NRZI), 106
Null Modem, 156-157

O

Octal number system, 8
Odd parity, 139
Open Systems Interconnection (OSI), 226-231
Optic fibre cables, 134, 135, 167
Original Equipment Manufacturer (OEM), 41
OSI Gateways, 263
OSI Networking, 260

P

PABX (Serial Port), 217
Packet, 116
Packet Switched Data Networks (PSDNs), 238, 241
Paper (mylar) tape, 49
Parallel data transfer, 87, 95-97
 Speed advantages, 97
Parallel Exchange Network Units, 85
Parallel Network, 88
Parallel to serial conversion, 98
Parity checking, 114
PASCAL, 194
PC based ASCII word-processor, 49
Performance of a protocol, 183
Performance of Local Area Networks, 252-256
Permeance, 75
Phase Encoding (PE), 105
Phase-Shift Keying (PSK), 130-131
Physical Layer, 226, 229
Plug-in Compatibility, 37-38
Point to point serial links, 94
Post Telephone and Telecommunications (PTT) modem, 144
Presentation Layer, 230
Profile (Network), 276
Program execution in a microprocessor, 23-31
Programmable Logic Controllers (PLCs), 40
Protective Ground GND, 147
Public Data Network or PDN, 238
Public Switched Telephone Networks (PSTN), 238, 257

R

- RAM chips, 26
- Random Access Memory (RAM), 4
- Read Only Memory (ROM), 4
- Receive Data RXD, 145, 147
- Request to Send RTS, 145, 147
- Resource sharing, 281
- Return-to-Zero waveform (RZ), 104
- Ribbon cable, 162
- Ring Indicator RI, 145, 147
- Ring Network, 216, 218
- Robot control systems, 45
- Robots (Gantry), 55
- Rotary transfer machines, 54
- Routers, 264
- RS-232C
 - Specification, 144-161
- RS-422, 173
- RS-423, 175
- RS-449, 175

S

- Selection of a networking topology, 220
- Servo-drive controller, 43, 44
- Session Layer, 226, 230
- Shift-Registers, 98
- Signal modulation, 121-133
- Signal Quality Detector SQD, 147
- Simplex Communication, 100
- Skin effect, 73
- Small Scale Integrated (SSI) circuits, 18
- Software protocols, 80
- SPACE condition, 108
- Space parity, 139
- Spreadsheets, 281
- Star Network, 216, 217
- Star node, 217
- Start and stop bit/s, 108
- Strobe signal, 84
- SYN, 233

Synchronism, 102
Synchronous and asynchronous (induction) motor, 44
Synchronous Data Link Control (SDLC), 235
Synchronous serial transmission, 102-106
Synchronous/Asynchronous links - differences, 110
Systems Network Architecture (IBM) SNA, 279-280

T

Telegram, 116
Terminal Emulation, 206
Termination of Transmission, 65
Time domain representation, 123
Token passing scheme, 223
TOP, 269, 270, 271, 272
Total bandwidth of cables, 129
Transistor Logic (TTL) voltage levels, 83
Transmit Data TXD, 145, 147
Transparent mode, 233
Transport Layer, 226, 230
Travelling waves, 73
Truth tables, 20
TTL (Transmission Limitations), 95
TTL digital circuits, 108
Twisted-Pair Cable, 77, 165

U

UART control circuits, 169
Unbalanced Normal Response Mode (NRM), 236
Universal Asynchronous Receiver Transmitter (UART), 32, 138-141
Universal Synchronous Receiver Transmitter (USRT), 138-141

V

V.24 standard, 144
Very Large Scale Integrated (VLSI) circuits, 18, 276
Virtual Manufacturing Devices or VMDs, 272

W

Ward Christensen Signalling, 208
Windows, Windows NT, 284
Word-processing, 208

X

X.25, 240, 241
X.400 Message Handling Specification (MHS), 273
Xerox, 266
XMODEM, 208
XON/XOFF protocol, 184